

CL Pro 2

Two all-in-one uses - Digital Signage and Meeting Room Commercial Display

With built-in digital signage for seamless content management and real-time alerts, and screen-sharing capabilities for enhanced meeting collaboration, the CL Pro 2 is the ultimate all-in-one display solution.

Available in a range of sizes 43" 4K | 55" 4K | 65" 4K | 75" 4K | 86" 4K | 98" 4K

Key Features



Discreet border to showcase your content
slimline bezel from 9.9mm



Dual display orientation; landscape or portrait to suit your environment



Ultra HD resolution & anti-glare surface with 25% haze



Capable of full, multi zoned digital signage, no additional media player required



Screen sustainability scheduling power management



Up to 5-year warranty



One touch messaging & broadcasting



QR code interactive functionality



Wi-Fi 6E



Screen share up to 9



500 cd/m² vibrant brightness



Android technology



24/7 operation

A flexible and versatile display for every industry

From boardrooms and classrooms to retail spaces and hospitality venues, the CL Pro 2 is engineered to deliver outstanding performance in any environment.



Enterprise



Education / Higher Ed



Retail



Hospitality



Healthcare



Military / Security

Software Included



Any device can download the CleverShare app and connect instantly by typing in the code on the CL Pro 2 screen. Compatible with Android, Windows, iOS, and Chrome devices.

[Learn More](#)



CleverLive is a digital signage cloud management platform that enables the creation, deployment, and management of content deployed across one or multiple displays, which is compatible with any device.

[Learn More](#)



Your IT team can remotely manage, update, and troubleshoot CleverLive displays and media players, ensuring users always have the latest apps and software. Includes a 1-year licence (upgrade available).

[Learn More](#)



Digital Signage with CL Pro 2

powered by
CLEVER® LIVE

One of the only screens with built-in signage, no extra hardware and no subscriptions!

Two ways to display digital content...

Already got great content?
Use CleverLive Playlists!

Exam Week Stay Calm, Stay Focused
YOU'VE GOT THIS!
It's exam week - a time to show what you've learned and give your best effort. Remember to stay organized, get plenty of rest, and keep a positive mindset.
www.hillsbrookschool.com

Full screen PDF

Full screen image

Full screen video

Want to create your own content?
Use CleverLive Multizone!

Stay Connected!
Visitor Wi-Fi is available throughout the building.
Ask reception for access.
Order: Coffee & Connections - Thursday 10 AM. Join us in the lobby for fr

12:15 PM
Work Smart. Work Together.
COLLABORATION DRIVES EVERYTHING WE DO - LET'S KEEP SUPPORTING, SHARING, AND BUILDING GREAT WORK TOGETHER.

Clock RSS Feeds Video Rolling Text Images



Meetings with CL Pro 2


with the help of



The CL Pro 2 makes every meeting smoother and more collaborative. Present instantly from your phone, tablet, or laptop with multiple options including for those high-secure environments, and let multiple people share their screens simultaneously for group discussion. When the meeting ends, the display switches effortlessly back to digital signage, keeping your workspace updated with announcements, branding, or live information throughout the day.

Want to present from your own device?

Use CleverShare!



Download the **Clevershare App** to connect any internet-connected phone, tablet or laptop to your CL Pro 2. The app is free to download and is compatible with MacOS, Android, Windows, iOS and Chrome Devices.

Use CleverHub 2



Connect your USB peripherals (Camera, Mic) and it will pass through for BYOD/ BYOM connection via your laptop for your chosen UC experience.

When your CL Pro 2 display no longer detects a HDMI source, you can configure your display to automatically switch to CleverLive for in-room digital signage.

Upgrade your solution

Add an OPS (only available on sizes 65"– 98") or CleverCam to create a video conferencing environment.



Can be set-up to use with repeater screens.

CL Pro 2 Specifications

Display

Screen size	43", 55", 65", 75", 86", 98" - 4K
Screen type	43", 55", 65", 75" VA - Direct LED Backlight 86", 98" IPS - Direct LED Backlight
Aspect Ratio	16:9
Display Colours	1.07 Billion (10 bit)
Resolution	4K UHD (3840x2160 @60Hz)
Response Time	43", 55" 6.5ms 65", 75", 86, 98": 8ms
Refresh Rate	60Hz
LCD Viewing Angle	178°
Brightness	500 cd/m ²
Contrast Ratio	43" 4000:1 55", 65", 75" 5000:1 86", 98" 1200:1
DC Dimming (for Flicker Free)	Yes
Main Board	9681
Life of Screen	50,000 Hours
NTSC	72%
Anti Glare	Yes with 25% haze

Connectivity

OPS Slot	43", 55" No 65", 75", 86", 98" Yes
HDMI-In	3
HDMI-Out	x1
USB-A 2.0	x1
USB A 3.2 Gen 1	x1
USB C (Video, Audio & Touch)	1 x USB Side Type C with video, audio, 65W PD and network sharing
LAN In (RJ45)	x1
LAN OUT	Yes
RS-232	x1
Wake-on-LAN	Yes
Wireless Adapter 2.0 + WAP	Yes
Clevertouch Wi-Fi Module	Yes
Bluetooth	5.0
Optical Out	x1
Headphone	1(3.5mm)
Gyroscope	Yes
Auto-rotate	Yes
Wi-Fi	IEEE 802.11a/b/g/n/ac/ax with 2 x 2 MIMO (hotspot only) (both 2.4 and 5 GHz bands)
Wi-Fi Generation	Wi-Fi 6E
Wi-Fi Speed	Capable of speeds up to 1Gbps

Audio

Dual Front Facing, Bass Enhanced Speakers	2 x 16W
SPDIF / Fibre	Yes
Sound Channel	2.0

Computing

Operating System	Android 14
System Version	LUX 14
RAM	4GB
Internal Storage	32GB
CPU	Quad Core A73
GPU	Mali G57 MC1
Android Resolution	4K
System Architecture	64B

Power

Power Requirements	43": 100-240V~50/60Hz 2.5A 55": 100-240V~50/60Hz 2.5A 65": 100-240V~50/60Hz 3.0A 75": 100-240V~50/60Hz 3.5A 86": 100-240V~50/60Hz 4.5A 98": 100-240V~50/60Hz 5.0A
Power Consumption (Normal)	43": 58.99W 55": 64.66W 65": 77.03W 75": 93.22W 86": 129.33W 98": 161.21W
Power Consumption (Standby)	≤0.5W
Ultra Quiet Fanless Design	Yes

Operating and Storage Environment

Operating Temperature	0° to 40°
Storage Temperature	-20° to 60°
Operating Humidity	10% to 90% RH
Storage Humidity	10% to 90% RH
Altitude	Below 5000 metres

Software & Features

OpenSDK Support	Yes
Intelligent O&M	Yes
H.264 + H.265	Yes
HD Hardware Encoding and Decoding	Yes
CleverLive™ Embedded Digital Signage	Yes
Clevershare™ Mirroring Any Device To The Board	Yes
Miracast (Wi-Fi Direct)	Yes
AirPlay	Yes
Chromecast	Yes
CleverLive Rooms™ Embedded Room Booking	Yes
Alerts and Announcements	Yes
Over-the-Air Updates	Yes
Remote Management Of Touchscreens (MDM)	Yes

CL Pro 2 Specifications

Physical Spec

Panel Dimensions	43" 964.6×552.5×62mm 55" 1233×703.5×62mm 65" 1463.3×838.3×68mm 75" 1685.6×963.7×68mm 86" 1930.8×1101.7×68mm 98" 2198.9×1254.6×68.6mm
Packed Dimensions	43" 1506×156×647mm 55" 1332×156×839mm 65" 1628×185×942mm 75" 1863×225×1090mm 98" 2110×225×1247mm 86" 2360×280×1425mm
Bezel Sizes	43", 55" 9.9mm 65", 75", 86" 15.9mm 98" 25mm
Net Weight	43" 9.42kg 55" 13.00kg 65" 23.73kg 75" 33.22kg 86" 40.80kg 98" 53.90kg
Packed Weight	43" 13.04kg 55" 18.00kg 65" 32.16kg 75" 48.44kg 86" 56.95kg 98" 80.10kg
VESA Mount Point	43" 200 × 200mm 55" 400 × 400mm 65" 600 × 400mm 75" 600 × 400mm 86" 600 × 400mm 98" 800 × 400mm
Screws for VESA	43", 55" M6 x 12mm 65", 75", 86", 98" M8 x 25mm

Inside your Clevertouch Box

What's In The Box	<ul style="list-style-type: none"> (1) CL Pro 2 Commercial Display (1) Regional Power Cable (1) HDMI Cable (1) Remote Control (1) Batteries for Remote Control (1) Clevertouch Wi-Fi Module (1) Quick Install Guide
--------------------------	--

Installation

The installation of this product should be completed by a qualified installer. Use of components not supplied by Clevertouch or not meeting minimum specifications may impact performance, safety and warranty. For more information, visit clevertouch.com

Support

For all Clevertouch products, visit: support.clevertouch.com

Warranty

Warranty term and upgrade options vary by region. Contact your local reseller or distributor for information and visit clevertouch.com/about/warranty

Compliance & Certification

Regulatory Certification

CE, FCC, UL, Energy Star & EEC



Our commitment to the Environment, Quality and Security

Cyber Essentials and BSI ISO9001, ISO14001, ISO27001 Certifications.




NATO Codification


Product	Product Code	NSN (NATO-Stock Numbers)
CL Pro 2 98"	1291305	7025-994768161

CL Pro 2 Specifications


43"




55"



65"




75"




CL Pro Specifications

86"



98"



Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product. The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product. The description, illustrations, etc. in this document may be subject to change in accordance with the latest product specification and performance. Should the above-mentioned change in the document become necessary, the document may be updated without written notice.

© 2025 Clevertouch. All rights reserved. Sahara Presentations Systems Ltd is part of the Boxlight group of companies, and the owner of trademarks in several global jurisdictions including but not limited to Clevertouch, the Clevertouch logo, UX Pro, IMPACT™, IMPACT Plus™, Impact MAX, CleverLive, LUX, LYNX Whiteboard, X5, CleverMessage, CleverLiveStore, CleverShare, CleverLiveRooms, CleverMDM, CL Totem, CL Touch Totem, CL Pro, CM Pro and CM Totem. All third-party trademarks (including logos and icons) referenced by Clevertouch remain the property of their respective owners. Unless specifically identified as such, Clevertouch's use of third-party trademarks does not indicate any relationship, sponsorship, or endorsement between Clevertouch and the owners of these trademarks. Applicable Terms and Conditions for warranty and support available at clevertouch.com/about/warranty. All weights and dimensions are approximate. Product specifications are subject to change without notice. [Clevertouch.com](https://clevertouch.com).